

Declaration of Conformity

SAFETY/ EMC/ REACH/ RoHS/ Chemicals/ Ecodesign



Version 1.0

Manufacturer:

AS Wilfa, Sandakerveien 114A, 0484 Oslo, Norway. www.wilfa.com

Product type:

Air fryer

Product identification:

AFD-60B Product name and on package

Declaration Text:

We, AS Wilfa are responsible for the following declaration of conformity where we hereby declare that following product(s) are in compliance with:

EU directives:

EU directive 2014/35	Low voltage directive
EU directive 2014/30	Electromagnetic compatibility
EU directive 1275/2008 and 801/2013	ErP
EU directive 2011/65 and 2015/863	RoHS
EU directive 1907/2006	REACH
EU directive 1935/2004	Food contact materials

Harmonized standards:

EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021
EN 60335-2-9:2003+A1:2004+A2:2006+A12:2007+A13:2010
EN 62233:2008
AfPS GS 2019:01 PAK
EK1 527-12 Rev.2

EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

EN 50564: 2011

RoHS Test report
REACH Test report
LFGB Test report

Declaration of Conformity

**FOOD CONTACT MATERIALS INTENDED TO COME INTO CONTACT
WITH FOOD**



Declaration Text:

We, AS Wilfa are responsible for the following declaration of conformity where we hereby declare that following product(s) are in compliance with:

- German Food, Articles of Daily Use and Feed Code of September 1, 2005(LFGB) Section 30& 31, BfR recommendation and Regulation (EC) No1935/2004.

1. Sensorial examination
2. Global Migration from Coating
3. Specific Release of Metals
4. Specific Migration of Polycyclic Aromatic Hydrocarbons (PAHs)
5. Colourfastness
6. Specific Migration of Primary Aromatic Amines
7. Specific Migration of Formaldehyde
8. Specific Migration of Organic Nitrogen
9. Specific Migration of Perfluoroalkeny-Oxybenzene Sulfonic Acid (PFOS) from PTFE coating
10. Specific Migration of Bisphenol A
11. Global Migration from Silicone
12. Remaining Peroxides (Silicone)Residual Catalyst
13. Volatile Organic Substances (Silicone)
14. Global Migration
15. Specific Migration of Metals
16. Specific Migration of Acrylonitrile
17. Volatile Organic Substances (Polystyrene and Styrene Co-polymer)
18. Specific Migration of Butadiene
19. Specific Migration of Cyclic Oligomers
20. Specific Migration of Hexamethylenediamine
21. Specific Migration of metals, Metal-release from Colored Plastic
22. Global Migration from Coating
23. Specific Migration of Heavy Metals - Chromium (VI)Global Migration
24. Remaining Peroxides (Silicone)
25. Volatile Organic Substances (Silicone)
26. Specific Migration of Tin
27. Stainless Steel Composition Analysis
28. Bisphenol A Content
29. Specific Migration of Fluorine
30. Specific Migration of Heavy Metals
31. Specific Migration of Phenolic Substances
32. Specific Migration of 1,4-Dihydroxybenzene
33. Total Phthalates
34. Extractive Substances
35. Organotin Compounds content
36. Specific Migration of Phthalates
37. Cadmium and Lead in Synthetic Material
38. Steel Composition Analysis
39. Specific Migration of Caprolactam

- FOR-1993-12-21-1381. Norwegian food safety regulation.
- EC No 2023/2006. Good Manufacturing Practices.
- EU No 10/2011. Plastic materials and objects intended to come into contact with foodstuffs.

Listed in accordance with the Regulation on plastic materials (EU) 10/2011, annexes I and II. The following substances subject to limitations and/or specification are used in the above mentioned product:

Substance	CAS number	Restrictions (mg/kg)
Al	7429-90-5	1
Caprolactam	105-60-2	15

Migration Limits

We confirm that content and specific migration limits are in compliance with above regulations.

Dual-use substances, active and intelligent substances, and other additives

No dual-use, active and intelligent substances were used in the manufacturing of this product.

Functional barrier

The non-stick coating is a functional barrier against the steel in the inner of the container.

Test lab

Test lab performing the tests: TUV Rheinland / CCIC (Ningbo)Co., Ltd.

Specification of the intended use or limitations

The intended use of this product is for baking food.

The product is suitable for following food/ drink: Meat, fruits, vegetables, dough.

Time, temperature, and storage in contact with food/ drink is:


- a) Time, up to 24 hours.
- b) Temperature, up to 200 degrees Celsius.
- c) Do not store food in the product.

Materials used

Materials: Non-stick coating, metal and silicone.

Ratio of food contact surface area to volume used to establish the conformity of the material of article:

6 dm²/kg according to article 17 para. 2 Regulation (EU) 10/2011.

Authorized signature:  **A.S WILFA**
Postboks 4200, Nydalen
0401 Oslo
www.wilfa.com

Name: Viktor Storjord

Title: Service & Compliance Manager

Date/ month/ year: 14/08/2023

Sandakerveien 114A, 0484 Oslo, Norway

www.wilfa.com